

HTML5

Audio Book Companion

Preston Prescott

All rights Reserved. No part of this publication or the information in it may be quoted from or reproduced in any form by means such as printing, scanning, photocopying or otherwise without prior written permission of the copyright holder.

Disclaimer and Terms of Use: Effort has been made to ensure that the information in this book is accurate and complete, however, the author and the publisher do not warrant the accuracy of the information, text and graphics contained within the book due to the rapidly changing nature of science, research, known and unknown facts and the Internet. The Author and the publisher do not hold any responsibility for errors, omissions or contrary interpretation of the subject matter herein. This book is presented solely for motivational and informational purposes only

Contents

Chapter 1.....	1
Chapter 2.....	2
Chapter 3.....	5
Chapter 4:	12
Chapter 5:	15
Chapter 6.....	20
Chapter 7.....	25
Chapter 8.....	29
Chapter 9.....	32
Chapter 10	37
Other Books by the Author	42

Chapter 1

Example 1:

```
<!DOCTYPE HTML>
<html>
<head>
<title>My First HTML 5 Document</title>
</head>
<body>
<h1>HTML 5 Tutorial</h1>
</body>
</html>
```

Chapter 2

Example 1:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Basic Page Structure</title>
</head>
<body>
</body>
</html>
```

Example 2:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Basic Page Structure</title>
</head>
<body>
<h1>Creating an HTML 5 Document</h1>
<p>This is a body element</p>
</body>
</html>
```

Example 3:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Basic Page Structure</title>
</head>
<body>
<h1>This is first level heading</h1>
<h2>This is second level heading</h2>
<h3>This is third level heading</h3>
<h4>This is fourth level heading</h4>
<h5>This is fifth level heading</h5>
<h6>This is sixth level heading</h6>
</body>
</html>
```

Example 4:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Basic Page Structure</title>
</head>
<body>
<p>this is a paragraph</p>
<p>this is another paragraph</p>
</body>
</html>
```

Solution:

```
<!DOCTYPE html>
<html>
<head>
<title>Exercise</title>
</head>

<body>

<h1>Exercise 2</h1>
<p>Exercise 2 is about the headings and paragraphs tags learned in chapter 2.</p>

</body>
</html>
```


Chapter 3

Example 1:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Basic Page Structure</title>
</head>
<body>
<h1>HTML 5 Beginner Level Course</h1>
<p>This is a <strong>bold</strong>text</p>
<p>This <em>text</em> is in italics</p>
</body>
</html>
```

Example 2:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Basic Page Structure</title>
</head>
<body>
<h1>HTML 5 Beginner Level Course</h1>
<p>This is a <strong>bold</strong>text</p>
<p>This <em>text</em> is in italics</p>

<p>This line is broken into
  two parts</p>
</body>
</html>
```

Example 3:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Basic Page Structure</title>
</head>
<body>
<h1>HTML 5 Beginner Level Course</h1>
<p>This is a <strong>bold</strong>text</p>
<p>This <em>text</em> is in italics</p>

<p>This line is broken into<br>
  two parts</p>
</body>
</html>
```

Example 4:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Basic Page Structure</title>
</head>
<body>
<h1>HTML 5 Beginner Level Course</h1>
<p>This is a <strong>bold</strong>text</p>
<p>This <em>text</em> is in italics</p>

<p>This line is broken into<br>
  two parts</p>

<hr>

<p>This <u>text</u> is underlined</p>

</body>
</html>
```

Example 5:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Organizing Content</title>
</head>
<body>
<h1>Following is an unordered list</h1>

<ul>

<li>First list item</li>
<li>Second list item</li>
<li>Third list item</li>

</ul>

</body>
</html>
```

Example 6:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Organizing Content</title>
</head>
<body>
<h1>Following is an ordered list</h1>

<ol>

<li>First list item</li>
<li>Second list item</li>
<li>Third list item</li>

</ol>

</body>
</html>
```

Example 7:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Organizing Content</title>
</head>
<body>
<h1>Following is Definition List</h1>

<dl>

<dt>HTML</dt>
  <dd>Hypertext Markup Language</dd>
<dt>CSS</dt>
  <dd>Cascade Stylesheets</dd>
<dt>W3C</dt>
  <dd>World Wide Web Consortium</dd>

</dl>

</body>
</html>
```

Example 8:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Organizing Content</title>
</head>
<body>
<h1>How to Lose Weight</h1>

<ol>

<li>Exercise Regularly
<ul>
<li>Go to Gym Daily</li>
<li>Take Morning Walk</li>
<li>Play sports Regularly</li>
</ul>
</li>

<li>Take Balanced Diet
<ul>
<li>Minimize fats in your diet</li>
<li>take protein rich diet</li>
<li>Avoid Junk Food</li>
</ul>
</li>

</ol>

</body>
</html>
```

Solution:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Exercise 3</title>
</head>
<body>
<h1>States of USA</h1>

<ol>

<li>California
<ul>
<li>Sacramento</li>
<li>Los Angeles</li>
</ul>
</li>

<li>Florida
<ul>
<li>Miami</li>
<li>Orlando</li>
</ul>
</li>

<li>Texas
<ul>
<li>Austin</li>
<li>Houston</li>
</ul>
</li>

</ol>

</body>
</html>
```

Chapter 4:

Example 1:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Creating Tables</title>
</head>
<body>
<h1>How to Create Tables in HTML 5</h1>

<table>
<tr><th>Name</th><th>Age</th><th>Gender</th></tr>
<tr><td>David</td><td>25</td><td>Male</td></tr>
<tr><td>William</td><td>30</td><td>Male</td></tr>
<tr><td>Elizabeth</td><td>22</td><td>Female</td></tr>
</table>

</body>
</html>
```


Example 2:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Creating Tables</title>
</head>
<body>
<h1>How to Create Tables in HTML 5</h1>

<table border="1">
<caption>Markup for HTML 5 Table</caption>
<tr><th>Name</th><th>Age</th><th>Gender</th></tr>
<tr><td>David</td><td>25</td><td>Male</td></tr>
<tr><td>William</td><td>30</td><td>Male</td></tr>
<tr><td>Elizabeth</td><td>22</td><td>Female</td></tr>
</table>

</body>
</html>
```

Example 3:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Creating Tables</title>
</head>
<body>
<h1>Table Layouts</h1>

<table>
<tr><th>Name</th><th colspan="2">Telephone</th></tr>
<tr><td>ABC</td><td>123 45 678</td><td>123 45 679</td></tr>
<tr><td rowspan="2" colspan="2">Cars No.</td><td>IXJ 1</td></tr>
<tr><td colspan="2">LXJ2</td></tr>
<tr><td colspan="3">Ho No. X, California USA</td></tr>
</table>

</body>
</html>
```

Solution:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Exercise</title>
</head>
<body>
<h1>Exercise 4</h1>

<table border= "1">
<tr><th>Car</th><th>Company</th><th>Price</th></tr>
<tr><td>i8</td><td>BMW</td><td>$13,6650</td></tr>
<tr><td>Fiesta</td><td>Ford</td><td>$13,965</td></tr>
<tr><td>XF</td><td>Jaguar</td><td>$94,975</td></tr>
</table>

</body>
</html>
```

Chapter 5:

Example 1:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Creating Forms</title>
</head>
<body>
<h1>How to Create Forms in HTML 5</h1>

<form action="bin/guestbook.php">
<input type="text"/>
</form>

</body>
</html>
```

Example 2:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Creating Forms</title>
</head>
<body>
<h1>How to Create Forms in HTML 5</h1>

<form action="bin/guestbook.php">
<input type="text" value="Search"/>
</form>

</body>
</html>
```

Example 3:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Creating Forms</title>
</head>
<body>
<h1>How to Create Forms in HTML 5</h1>

<form action="bin/guestbook.php">
<input type="text" value="Search"/>
<br><br>

<textarea>Write your comment here</textarea>
</form>

</body>
</html>
```

Example 4:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Creating Forms</title>
</head>
<body>
<h1>How to Create Forms in HTML 5</h1>

<form action="bin/guestbook.php">
<select>
<option>Select an option...</option>
<option>Option 1</option>
<option>Option 2</option>
<option>Option 3</option>
</select>
</form>
</body>
</html>
```

Example 5:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Creating Forms</title>
</head>
<body>
<h1>How to Create Forms in HTML 5</h1>

<form action="bin/guestbook.php">
<input type="checkbox" /> Apple
<input type="checkbox" /> Banana
<input type="checkbox" /> Orange
<input type="checkbox" /> Pineapple
</form>

</body>
</html>
```

Example 6:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Creating Forms</title>
</head>
<body>
<h1>How to Create Forms in HTML 5</h1>

<form action="bin/guestbook.php">
<input type="radio" name= "colour" /> Apple
<input type="radio" name= "colour" /> Banana
<input type="radio" name= "colour" /> Orange
<input type="radio" name= "colour" /> Pineapple
</form>

</body>
</html>
```

Solution:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Exercise</title>
</head>
<body>
<h1>Exercise 5</h1>

<form>
<input type="text" value="Search this Website"/>
<br><br>

<textarea>Give Your Feedback</textarea>
</form>

<form>
<input type="radio" name= "colour" />BMW
<input type="radio" name= "colour" />Ford
<input type="radio" name= "colour" />Jaguar
<input type="radio" name= "colour" />Volkswagen
</form>

</body>
</html>
```

Chapter 6

Example 1:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Creating Links</title>
</head>
<body>
<h1>How to Create Hyperlinks in HTML 5</h1>

<p><a href= "http://www.w3schools.com">W3 Schools</a> is a good reference website for HTML
5.</p>

</body>
</html>
```


Example 2:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Creating Links</title>
</head>
<body>
<h1>How to Create Hyperlinks in HTML 5</h1>

<p><a href=http://www.w3schools.com target="_blank">W3 Schools</a> is a good reference website
for HTML 5.</p>

</body>
</html>
```

Example 3:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Creating Links</title>
</head>
<body>
<h1>How to Create Hyperlinks in HTML 5</h1>

<p>This is an <a href="about.html"> about us </a>page of same website</p>

</body>
</html>
```

Example 4:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Creating Links</title>
</head>
<body>
<h1>How to Create Hyperlinks in HTML 5</h1>

<p>This is an<a href=" ../docs/about.html"> about us </a>page of same website</p>

</body>
</html>
```

Example 5:

```
<!DOCTYPE HTML>
<html>
<head>

<title>Facts About United States</title>
<meta charset="utf-8" />

</head>
<body>
<a name="top" />

<h1>Hello, United States</h1>
<h2>Facts about a Beautiful Country <br /> Called the United States of America</h2>

<p>1. The United States gained independence from British rule on July 4, 1776. <br /> That was the day
the United States of America emerged as an independent nation <br />
on the map.<br />

2. The United States has the largest economy in the world, followed by China and Japan.<br />

3. The American flag’s official colors are “Old Glory Red,” “White,” and “Old Glory Blue.”</p>

<hr />

<h3>About the United States</h3>

<ul>
```

```
<li><strong>Founder:</Strong><a href="http://en.wikipedia.org/wiki/George_Washington">George Washington</a></li>
<li><strong>Area:</Strong>9,857,306 km²</li>
<li><strong>Population:</Strong>318.9 Million</li>
</ul>
```

```
<hr />
```

```
<h3>Top Three Facts</h3>
```

```
<ol>
<li><strong>Total Number of States:</Strong>50</li>
<li><strong>Primary Language:</Strong>English</li>
<li><strong>National Sport:</Strong>Baseball</li>
</ol>
```

```
<hr />
```

```
<h3>The United State's Neighbours</h3>
```

```
<table>
<tr><th>Name</th><th>Area</th><th>Where</th></tr>
<tr><td>Canada</td><td>9,984,670 km²</td><td>North</td>
<tr><td>Mexico</td><td>1,972,550 km²</td><td>South</td>
<tr><td>Pacific Ocean</td><td>165.25 million square kilometers</td><td>West</td>
<tr><td>Atlantic Ocean</td><td>41,105,000 square miles</td><td>East</td>
</table>
```

```
<hr />
```

```
<form action="http://en.wikipedia.org/wiki/George_Washington" target="_blank">
<input type="submit" value="Click Here!" />
</form>
```

```
<a href="#top">Back to Top</a>
```

```
</body>
</html>
```

Solution:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Exercise</title>
</head>
<body>
<h1>Exercise 6</h1>

<p><a href="https://en.wikipedia.org/wiki/Washington,_D.C.">Washington, D.C.</a> is the capital of
United States of America</p>

<br />

<a href="http://www.history.com/topics/us-states/washington-dc" target="_blank"></a>
</body>
</html>
```

Chapter 7

Example 1:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Adding Images</title>
</head>
<body>
<h1>How to add images to a webpage</h1>

<p> The earth is round as the following images shows <br>


</body>
</html>
```

Example 2:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Adding Images</title>
</head>
<body>
<h1>How to add images to a webpage</h1>

<p>The earth is round and looks beautiful from the space as the following image shows <br>


</body>
</html>
```

Example 3:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Adding Images</title>
</head>
<body>

<h1>How to add images to a web page</h1>

<p> The earth is round as the following image shows <br>


</body>
</html>
```

Example 4:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Adding Images</title>
</head>
<body>
<h1>How to add images to a webpage</h1>

<p> The earth is round and looks beautiful from space as the following image shows <br>
<a href="http://science.nationalgeographic.com/science/earth/" target="_blank"></a>

</body>
</html>
```

Example 5:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Adding Images</title>
</head>
<body>
<h1>How to add images to a webpage</h1>

<p> The earth is round and looks beautiful from space as the following image shows <br>


</body>
</html>
```

Solution:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Exercise</title>
</head>
<body>
<h1>Exercise 7</h1>



</body>
</html>
```


Chapter 8

Example 1:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Adding Media</title>
</head>

<body>
<h1>How to add Media to a webpage</h1>

<p> Vidoe on Twinkle Twinkle Little Star<br>
<iframe      src="https://www.youtube.com/embed/yCjYiqpAuU"      width="560"      height="315"
frameborder="0" allowfullscreen></iframe>

</body>
</html>
```

Example 2:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Adding Media</title>
</head>

<body>
<h1>How to add Media to a webpage</h1>

<p> Vidoe on Twinkle Twinkle Little Star<br>
<video src="rhymes.mp4" width="560" height="315" controls></video>

</body>
</html>
```

Example 3:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Adding Media</title>
</head>

<body>
<h1>How to add Media to a webpage</h1>

<p> The "Firefiles" from You Can Unlearn Guitar<br>
<audio src="audio.mp3" controls autoplay></audio>

</body>
</html>
```

Solution:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Exercise</title>
</head>
<body>
<p>The Declaration of Independence</p>

<iframe src="https://www.youtube.com/embed/jYyttEu_NLU" width="500" height="300"
frameborder="0" allowfullscreen></iframe>

<br /><br />

<p>Johny Johny Yes Papa</p>
<video src="johny.mp4" width="500" height="300" controls autoplay></video>
</body>
</html>
```

Chapter 9

Example 1:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Using Navigation Element</title>
</head>

<body>
<h1>How to use nav element in HTML 5</h1>

<nav>
<a href="blog.html">Blog</a> |
<a href="about.html">About Us</a> |
<a href="contact.html">Contact Us</a> |
</nav>

</body>
</html>
```

Example 2:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Using Header Element</title>

<style>
#head {
    background-color: #F1F1F1;
    height: 100px;
    width: 100%;
}

</style>

</head>

<body>

<header id="head">
<h1>How to use header element in HTML 5</h1>
<nav>
<a href="blog.html">Blog</a> |
<a href="about.html">About us</a> |
<a href="contact.html">Contact Us</a> |
</nav>
</header>

</body>
</html>
```

Example 3:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Using Header Element</title>

<style>
#wrapper {
    background-color: #F1F1F1;
    height: 80px;
    width: 500px;
    color: red;
}
</style>

</head>

<body>
<h1>How to use div element in HTML 5</h1>

<div id="wrapper">

<p>The div element has no special meaning at all. It represents its children.<br />
It can be used with the class, lang, and title attributes to mark up semantics<br />
common to a group of consecutive elements.</br>
W3C Specification</p>

</div>

</body>
</html>
```

Example 4:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Using Header Element</title>

<style>
#wrapper {
    background-color: #F1F1F1;
    height: 70px;
    width: 550px;
    color: red;
}
</style>

</head>

<body>
<h1>How to use footer element in HTML 5</h1>

<div id="wrapper">

<p>The footer element represents a footer for its nearest ancestor sectioning content.<br />
A footer typically contains information about its section such as who wrote it, links to<br />
, copyright data, postal and email addresses and the like.</p>

</div>

<footer>

<p>Witten by: David Sinclair<br />
Visit us at: xyz.com, <br />
mail to: <a href="mailto:david@xyz.com">david@xyz.com</a>.<br />
P.O. Box No. 111, New York, <br />
United States of America</p>

</footer>

</body>
</html>
```

Solution:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Exercise</title>
</head>
<body>
<h1>Exercise 9</h1>

<nav>
<a href="https://www.google.com">Google</a> |
<a href="http://example.com/">Example.com</a> |
<a href="https://www.facebook.com/">Facebook</a> |
<a href="http://www.imdb.com/">Internet Movie Database</a>
</nav>

</body>
</html>
```


Chapter 10

Example 1:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Using Quotation Elements</title>
</head>

<body>
<h1>How to use quotation element in HTML 5</h1>

<p>Goal of United Nation is to <q>make this world a better and safer place to live</p></p>

<p>The United Nation Foundation is Committed to help the UN achieve its<br/>
8th Millennium Development Goals
<blockquote>We are working towards them all but we believe that 8th MDG<br />
calling for global partnership for development is most<br />
important of them all</blockquote></p>

</body>
</html>
```

Example 2:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Using Quotation Elements</title>
</head>

<body>
<h1>How to use quotation element in HTML 5</h1>

<p>The <abbr title= "The United Nations Organizations">UNO</abbr> was founded on 24th October,
1945.</p>

<p>Goal of United Nation is to <q>make this world a better and safer place to live</p></p>

<p>The United Nation Foundation is Committed to help the UN achieve<br/>
8th Millennium Development Goals
<blockquote>We are working towards them all but we believe that 8th MDG<br />
calling for global partnership for development is most<br />
important of them all</blockquote></ p>

</body>
</html>
```

Example 3:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Using Quotation Elements</title>
</head>

<body>
<h1>How to use quotation element in HTML 5</h1>

<p>HTML 5 address element helps you to define contact information such as names of authors<br />
or owner of the website.</p>

<address>
Written By: Diana Smith <br />
Visit Us at: www.examplewebsite.com<br />
Box xyz, New York, United States
</address>

</body>
</html>
```

Example 4:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Using Quotation Elements</title>
</head>

<body>
<h1>How to use quotation element in HTML 5</h1>

<p>The cite element defines the title of a work</p>

<p><cite>A Game of Thrones</cite> by George R. R. Martin. First Published in United Kingdom in
1996</p>
</body>
</html>
```

Example 5:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Using iframe Element</title>
</head>

<body>
<h1>How to use iframe element in HTML 5</h1>

<p>iframe element helps you to embed content from another source</p>

<iframe src= "https://www.w3.org/wiki/HTML/Elements/iframe" width= "300" height= "300"</iframe>

</body>
</html>
```

Example 6:

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset= "utf-8">
<title>Using Element Entities</title>
</head>

<body>
<h1>How to use HTML 5 Entities</h1>

<p>&apos;<br />
&current;<br />
&pound;<br />
&gt;<br />
&lt;</p>

</body>
</html>
```

Solution:

```
<!DOCTYPE html>
<html>
<head>
title>Exercise</title>
</head>

<body>

<h1>Exercise 10</h1>

<iframe src="https://en.wikipedia.org/wiki/Baseball" width="300" height="300"></iframe>

</body>
</html>
```

Other Books by the Author

JavaScript Programming: A Beginners Guide to the Javascript Programming Language

<http://www.linuxtrainingacademy.com/js-programming>

If you've attempted to learn how to program in the past, but hadn't had much success then give *JavaScript Programming* a try. It will teach you exactly what you need to know about programming in the world's most widely used scripting language in existence today. It will start you at the beginning and allow you to build upon what you've learned along the way.

SQL: Learn the Structured Query Language for the Most Popular Databases including Microsoft SQL Server, MySQL, MariaDB, PostgreSQL, and Oracle

<http://www.linuxtrainingacademy.com/sql-book>